

Message

From: Brasaemle, Karla [Karla.Brasaemle@TechLawInc.com]
Sent: 10/28/2019 7:37:49 PM
To: Praskins, Wayne [Praskins.Wayne@epa.gov]
Subject: FW: Evaluation of RGs for Buildings - jana cannot open these files
Attachments: HPNS BUILD IW U_25Sep19_9pt3m2_risk.bld; HPNS BUILD IW U_25Sep19_9pt3m2_dose.bld; HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld; HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld; HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld; HPNS BUILD Adult U_25Sep19_9pt3m2_risk.bld; HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld; HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld; HPNS BUILD Child U_25Sep19_9pt3m2_dose.bld; HPNS BUILD Child U_25Sep19_9pt3m2_risk.bld; HPNS Adult library_25Sep19.DCF; HPNS Child library_25Sep19.DCF

Hi Wayne,

Jana cannot open these files – and asked if they could be provided as PDFs.

If she can get pdfs of these files, she said she may not need to talk to the Navy.

Karla Brasaemle, P.G.,
TechLaw, Inc.
415-762-0566

From: Praskins, Wayne <Praskins.Wayne@epa.gov>
Sent: Wednesday, October 23, 2019 7:38 AM
To: Dawson, Jana <Jana.Dawson@TechLawInc.com>
Cc: Brasaemle, Karla <Karla.Brasaemle@TechLawInc.com>
Subject: FW: Evaluation of RGs for Buildings

From: Craig Bias <cbias@remwerks.com>
Sent: Wednesday, October 23, 2019 6:43 AM
To: Robinson, Derek J CIV USN NAVFAC SW SAN CA (USA) <derek.j.robinson1@navy.mil>
Cc: Praskins, Wayne <Praskins.Wayne@epa.gov>
Subject: RE: Evaluation of RGs for Buildings

Wayne,

As requested, attached are all of the referenced and used BUILD input files (.BLD) and the two dose and risk factor libraries (.DCF) created.

Craig

Craig-Alan Bias, PhD, CHP, RRPT
Principal
Remwerks LLC

www.linkedin.com/company/remwerks/

Office: 210-320-1285 Ex. 6 Personal Privacy (PP)



From: Robinson, Derek J CIV USN NAVFAC SW SAN CA (USA) <derek.j.robinson1@navy.mil>
Sent: Tuesday, October 22, 2019 12:13 PM
To: Craig Bias <cbias@remwerks.com>
Cc: Praskins, Wayne <Praskins.Wayne@epa.gov>
Subject: RE: Evaluation of RGs for Buildings

Hi Craig,

Could you please send Wayne the requested files?

Thank you, Derek

From: Praskins, Wayne <Praskins.Wayne@epa.gov>
Sent: Monday, October 21, 2019 4:03 PM
To: Robinson, Derek J CIV USN NAVFAC SW SAN CA (USA) <derek.j.robinson1@navy.mil>
Subject: [Non-DoD Source] RE: Evaluation of RGs for Buildings

Derek –

With Lyndsey's departure, I am now relying more on Techlaw to review the building RG package you provided on 10/2. In the near future I would like to set up a call with you, me, our Techlaw reviewers, and whoever else you would like to join the call to give Techlaw staff the opportunity to ask questions about the Navy's evaluation. In the interim, could you provide the following to help with our review?

- 1.) RESRAD Build files (input files) corresponding to all output files.
- 2.) A copy of the two custom dose conversion factor/slope factor libraries created using the RESRAD Dose Conversion Factor (DCF) Editor, labeled 'HPNS Adult' and 'HPNS Child'.
[It is noted that the DCFs for external exposures for adults were obtained from Federal Guidance Report (FGR) No. 12 (USEPA 1993), DCFs for inhalation and ingestion exposures from International Commission on Radiological Protection Publication 72 (ICRP 1995); and risk coefficients for total cancer morbidity were obtained from the Health Effects Assessment Summary Tables (HEAST) (USEPA 2001).]

Thanks.

Wayne Praskins | Superfund Project Manager
U.S. Environmental Protection Agency Region 9
75 Hawthorne St. (SFD-7-3)
San Francisco, CA 94105
415-972-3181

From: Robinson, Derek J CIV USN NAVFAC SW SAN CA (USA) <derek.j.robinson1@navy.mil>
Sent: Wednesday, October 2, 2019 8:30 AM
To: Praskins, Wayne <Praskins.Wayne@epa.gov>
Subject: Evaluation of RGs for Buildings

Dear Wayne,

Please see the attached evaluation of radiological remedial goals for buildings. The PRG screening values and a comparison summary table are included in the attached Excel file.

A discussion of input parameters for RESRAD is included in Sections 3.1-3.6 of the word file, along with references. The BRPG input parameters are included in the Excel file. Where applicable, the input parameters in RESRAD-BUILD have been adjusted to be consistent with the default parameters used in both the USEPA Building Dose Compliance Concentrations for Radionuclides (BDCC) and Building Preliminary Remediation Goals for Radionuclides (BPRG) online calculators.

Even though the remedial goals for buildings were memorialized in numerous Records of Decision, the most relevant administrative record is the 2006 Action Memorandum, where the remedial goals were originally developed. A link to the action memo is located below. Please let me know if other sources of information are requested.

https://www.bracpmo.navy.mil/brac_bases/california/former_shipyard_hunters_point/documents1.html

Please click on the document titled "April 2006, Final Basewide Radiological Removal Action, Action"

Because of the numerous output files for the calculation runs using RESRAD and BPRG calculators, two emails will follow. One with the RESRAD output files and one with the BPRG output files.

I believe that this information is everything you requested as part of the consultative process. Please let me know if you have any questions.

Best Regards,

Derek J. Robinson, PE
Environmental Program Manager
BRAC Environmental Coordinator
Navy BRAC PMO West
33000 Nixie Way; Bldg 50
San Diego CA 92147
Desk Phone: 619-524-6026